

DEWALT®

XR FLEX VOLT™



ONSITE OFFERS ISSUE 45 JANUARY 2017

www.DEWALT.com

GUARANTEED TOUGH.®

Download on the
App Store

SDS-PLUS / SDS-MAX HAMMERS

XR FLEXVOLT

NEW XR FLEXVOLT SDS-PLUS HAMMERS

This perform and protect range offers best in class vibration at 8.5m/s^2 minimising user fatigue as well as offering leading high-speed drilling performance. Rotation stop mode for light chiselling in plaster, tiles and render, and impact stop mode for rotary only drilling in wood and metal. The powerful battery provides approximately 66 holes per charge (18mm \varnothing x 80mm in concrete) and consistent power delivery.



LITHIUM ION

PERFORM
PROTECT

BRUSHLESS



	DCH333NT	DCH333X2	DCH334X2
	Bare Unit	2 x 9.0Ah Batteries	2 x 9.0Ah Batteries includes quick change chuck
Max. Drilling Capacity Concrete	30mm	30mm	30mm
Impact Energy	3.5J	3.5J	3.5J
No Load Speed	0-1000rpm	0-1000rpm	0-1000rpm
Blows Per Minute	0-4320bpm	0-4320bpm	0-4320bpm
Hand / Arm Vibration	8.5m/s^2	8.5m/s^2	8.5m/s^2
Weight (incl. battery)	4.6kg	4.6kg	4.6kg

WHAT DO **REAL** END USERS THINK?

“JUST LIKE RUNNING
OFF THE MAINS”

“**GAME CHANGER**”

“SO MUCH **POWER**
FROM ONE **BATTERY**”

“I COULDN'T **BELIEVE** IT”

“THAT'S
IMMENSE”

“MORE **POWER** THAN
MOST CORDED **TOOLS**”

XR **FLEXVOLT**

NEW

54V XR **FLEXVOLT** BRUSHLESS 3 MODE DEDICATED CORDLESS SDS-MAX HAMMER

Provides true corded performance without the cord. An anti-rotation system detects a loss of tool control and reacts instantly by cutting the power. This compact, lightweight and ergonomic design provides improved operating periods and offers a maximum drilling diameter of 40mm into solid concrete.



	DCH481N	DCH481X2
	Bare Unit	2 x 9.0Ah Batteries
Max. Drilling Capacity Concrete	40mm	40mm
Impact Energy	6.1J	6.1J
No Load Speed	0-540rpm	0-540rpm
Blows Per Minute	0-3150bpm	0-3150bpm
Hand / Arm Vibration	9.4m/s ²	9.4m/s ²
Weight (incl. battery)	5.4kg	5.4kg



XR FLEXVOLT™

NEW
DCS778

XR FLEXVOLT 250MM MITRE

This 250mm cordless Mitre Saw is built on a classic pull saw design, improved and updated for the modern user. This highly accurate saw consists of XPS shadow line cut indicator as well as a compact internal rail design for huge cutting capacity.

NEW DCB547

XR FLEXVOLT 9AH 18/54V BATTERY PACK

The new 9.0Ah XR FLEXVOLT battery pack provides unprecedented cordless power and run time. This backwards compatible battery pack enables use with all 18V XR and 54V XR FLEXVOLT tools.



NEW DCS520

XR FLEXVOLT PLUNGE SAW

This 54V Plunge saw consists of a 42 tooth blade resulting in a fine and accurate finish. The parallel plunge allows the user to maintain a smooth and constant hand position while cutting, and the rail adjustment allows the saw to be adjusted accurately to the rail for precise cutting.

XR EXTREME RUNTIME SAW BLADES

Cutting more metres per charge* than DeWALT® construction blades, these saw blades deliver the best results.

Cat No.	Cut Dia	Bore Size	Tooth Count
DT99571	250mm	30mm	24
DT99572	250mm	30mm	36
DT99573	250mm	30mm	60
DT99560	165mm	20mm	24
DT99561	165mm	20mm	42



*DT99572 +28% v DT1956

*DT99561 +47% v DT1934



XR FLEXVOLT

COMING SOON

DCM571

XR FLEXVOLT GRASS TRIMMER/ BRUSH CUTTER

54V FLEXVOLT Grass Trimmer enables fast job completion with its 38cm cutting swath. The high efficiency brushless motor with a metal motor housing enables longer runtime, longer life, more durability and efficiency. 25cm Tri-blade included for brush applications, plus adaptor kit also included.



COMING SOON

DCM575

XR FLEXVOLT CHAINSAW

This high efficiency brushless chainsaw delivers up to 65 cuts per charge*. With a 40cm Oregon bar and chain this 54V FLEXVOLT tool provides ultimate performance.

*Cutting 6x6inch/15x15cm treated timber, using 3.0Ah battery.

COMING SOON

DCM572

XR FLEXVOLT BLOWER

Powered by the 54V XR FLEXVOLT battery, the new blower from DeWalt clears more debris quickly with up to 400 CFM and 195km/h. High efficiency brushless motor delivers up to 15 minutes run time.



NEW DWST1-75694 TOUGHSYSTEM WORKSHOP

The new ToughSystem workshop racking system provides the ultimate workplace solution. With a load capacity of up to 200kg per rack, this system is perfect for all ToughSystem modules.



NEW DWST1-75774 DEEP TOTE WITH LONG HANDLE



NEW DWST1-71228 TSTAK TOTE

NEW DWST1-75668 TOUGHSYSTEM DS450 MOBILE STORAGE

This water (IP65) and dust protected mobile storage ToughSystem module consists of a specially designed lid opening with a rotating handle which enables maximum storage volume.



NEW DWST1-75799 TSTAK MOBILE STORAGE

The ultimate TStak unit for large bulky items. The metal-plastic telescopic handle and durable 7" wheels enable easy manoeuvrability of this mobile storage unit. Fully compatible with all other products in the TStak range.

LITHIUM ION

NEW **DCE079D1G** **ROTARY LASER –** **GREEN BEAM**

The new Green Beam 18V Rotary Laser has a working range of 76m (600m with a detector). An accuracy of ± 1.5 (at 30m) means that the most demanding of applications can be achieved with confidence. The guaranteed tough design of this DeWALT Rotary laser consists of an over-moulded housing with a 2m drop. The fully automatic horizontal and vertical self-levelling + plumb up means this 18V laser is suitable for all necessary jobsite applications.



NEW DCE074D1R **ROTARY LASER RED**

18V Rotary Laser has a fully automatic horizontal and vertical self-leveling and plumb up. The working range (45m {457m with a detector}) and accuracy (± 3 mm @30m) of this Guaranteed Tough design is perfect for all jobsite applications.



DW033 **LASER DISTANCE METER**

The compact and lightweight design of the 30M LDM from DeWALT offers one button for simple and easy operations, as well as a black display with white letters for easy visibility.

DeWALT**XR FLEX
VOLT****POWER OF CORDED | FREEDOM OF CORDLESS**

WHAT IS XR FLEXVOLT?

XR FLEXVOLT is a range of 54V power tools that offer runtime and performance which has never been seen before – for the first time, professional tradesmen can reliably undertake heavy-duty construction applications without the need for mains power.

This innovation means that for the first time, you can have 54V power across a whole range of tools without the inconvenience of a cable. **DeWALT XR FLEXVOLT** is the only battery on the market that can switch from 54V to 18V, making it backward-compatible with your existing XR powertools.



18V 54V

CORDLESS WITHOUT COMPROMISE

Traditionally, when compared with corded power tools, even the most efficient cordless system required a compromise between increased portability and reduced power.

DeWALT has unlocked the true potential of cordless technology to deliver a growing range of tools that require zero compromise. All the power of corded tools, with the freedom of cordless.

XR FLEXVOLT is a range of 54V power tools that offer runtime and performance that has never been seen before – for the first time, professional tradesmen can reliably undertake heavy-duty construction applications without the need for mains power.

LITHIUM ION

LITHIUM ION

CONVERTIBLE BATTERY PACK

LITHIUM ION

Backwards compatible

FLEXVOLT



DeWALT is committed to offering real-world practicality and convenience. The **XR FLEXVOLT** battery pack is not only interchangeable across the complete 54V range but is also backwards compatible with all existing 18V XR tools. Circular saws, Drills, Table Saws, Nail Guns, Alligator Saws, Impact Drivers – professional tradesmen can now operate every power tool they need on a single cordless system.

XR FLEXVOLT

DCS7485

XR FLEXVOLT TABLESAW

Introducing the **WORLD'S FIRST** cordless Table Saw.

- Lightweight, compact and easy to transport, without compromising on any of the features
- Highly accurate with adjustable fence and bevel, it's easy to use with quick adjustments and on-board tool storage
- The powerful battery provides approximately 92 linear metres per charge (19mm OSB) and consistent power delivery



LITHIUM ION

DCS7485T2

2 x Batteries

DCS7485N

Bare Unit

Blade Dia	210mm	210mm
Max. Depth of Cut	65mm	65mm
Max. Ripping Capacity	610mm	610mm
Bevel Capacity	-3 to 48°	-3 to 48°
Weight (incl. battery)	21.5kg	21.5kg

BRUSHLESS



Cat No.	Cut Dia	Tooth Ct	Arbor Dia
DT99565-QZ	210	24T	30
DT99566-QZ	210	36T	30
DT99567-QZ	210	60T	30

XR FLEXVOLT TABLE SAW BLADES

Maximise productivity by using XR FLEXVOLT optimised table saw blades.

- Cuts up to 63% more metres per charge than a DeWALT construction blade



63% MORE CUTS PER CHARGE

DT99565 vs. DW3182

CONTACT YOUR LOCAL SUPPLIER

XR FLEXVOLT

DCS777

XR FLEXVOLT 216 MITRE SAW

- XPS cutline feature ensures great visibility by illuminating the workpiece and delivers supreme accuracy
- The powerful battery provides approximately 220 cuts per charge (38x 68mm timber) and consistent power delivery
- Compact and lightweight, measuring 445 x 370mm and weighing just 14kg



LITHIUM ION

DCS777T2

2 x Batteries

DCS777N

Bare Unit

Blade Dia	216mm	216mm
Max. Cutting Capacity	270 x 62mm	270 x 62mm
Max. Ripping Capacity	50/50°	50/50°
Bevel Capacity	48°	48°
Weight (incl. battery)	14kg	14kg

BRUSHLESS

XR FLEXVOLT MITRE SAW BLADES

Use the XR FLEXVOLT Mitre Saw blades alongside the DCS777 for the ultimate cutting experience.

- Extra sharp carbide teeth to give longer useable life between re-sharpening

53% MORE CUTS PER CHARGE

DT99568 vs. DT1154



Cat No.	Cut Dia	Tooth Ct	Arbor Dia
DT99568-QZ	216	24T	30
DT99569-QZ	216	36T	30
DT99570-QZ	216	60T	30

CONTACT YOUR LOCAL SUPPLIER



FOR THE LATEST INTERACTIVE NEWS DOWNLOAD THE APP

XR FLEXVOLT

DCS575

XR FLEXVOLT CIRC SAW

The DCS575 is the new, leading precision Circular Saw

- Best power to weight ratio in class
- LED, cutaway guard and dust blower ensure excellent cut visibility
- The powerful battery provides approximately 339 cuts per charge (50 x 100mm timber) and consistent power delivery

LITHIUM ION

DCS575T2

2 x Batteries

Blade Dia	190mm
Max. Depth of Cut	67mm
Max. Depth of Cut (45°)	49mm
Bevel Capacity	57°

DCS575N

Bare Unit

Blade Dia	190mm
Max. Depth of Cut	67mm
Max. Depth of Cut (45°)	49mm
Bevel Capacity	57°


BRUSHLESS



Cat No.	Cut Dia	Tooth Ct	Arbor Dia
DT99562-QZ	190	24T	30
DT99563-QZ	190	36T	30
DT99564-QZ	190	60T	30

XR FLEXVOLT CIRC SAW BLADES

Cutting up to 119% more metres per charge than the DeWALT construction blade, the XR FLEXVOLT Circular Saw blades deliver the best results.



119% MORE CUTS PER CHARGE
DT99577 vs. DT1211

CONTACT YOUR LOCAL SUPPLIER

XR FLEXVOLT

DCS388 XR FLEXVOLT RECIP SAW

This new, cordless Reciprocating Saw is powered by the high capacity XR FLEXVOLT 54V battery, for ultimate cordless performance.

- Class-leading, low vibration (12.5m/s^2) tool also features a LED worklight to increase visibility
- Well-balanced with a comfortable grip and back handle, making the tool easy to use



LITHIUM ION

DCS388T2

2 x Batteries

No Load Stroke rate 0-3000spm

Stroke Length 28.6mm

Max. Cutting Capacity Timber 300mm

Hand/Arm Vibration Wood 12m/s^2

DCS388N

Bare Unit

No Load Stroke rate 0-3000spm

Stroke Length 28.6mm

Max. Cutting Capacity Timber 300mm

Hand/Arm Vibration Wood 12m/s^2

BRUSHLESS

XR FLEXVOLT RECIP SAW BLADES

The XR FLEXVOLT Reciprocating Saw blades allow for 100% more cuts in metal* and 36% more cuts in timber**.

100% MORE CUTS PER CHARGE

*Metal DT99553 vs. DT2346

**Timber DT99554 vs. DT2359

Cat No.	Product Description
DT99554-QZ	5 Pack wood and nails blades
DT99553-QZ	5 pack metal blades



CONTACT YOUR LOCAL SUPPLIER



FOR THE LATEST INTERACTIVE NEWS DOWNLOAD THE APP

XR FLEXVOLT

DCG414 XR FLEXVOLT ANGLE GRINDER

- Enhanced battery runtime allows users to work on longer duration applications
- Consists of a brake on trigger release with a 'constant clutch' to prevent kickback

**PERFORM
PROTECT.**

LITHIUM ION

DCG414T2	DCG414N
2 x Batteries	Bare Unit
Max. Disc Diameter 125mm	125mm
No Load Speed 9000rpm	9000rpm
Spindle Thread M14	M14



BRUSHLESS

**PERFORM
PROTECT.**

XR FLEXVOLT ANGLE GRINDER DISCS

Pairing the XR FLEXVOLT Grinder with the specific XR FLEXVOLT Grinding discs will enable the tool to deliver up to 39% more cuts, and remove up to 53% more material.



Cat No.	Product Description
DT99580-QZ	125mm x 6mm Metal Grinding
DT99581-QZ	125mm x 3mm Metal Grinding
DT99582-QZ	125mm x 1.1mm Metal Cutting
DT99583-QZ	125mm Flap Disc 40g
DT99584-QZ	125mm Flap Disc 60g
DT99585-QZ	125mm Flap Disc 80g

53% MORE GRIND PER CHARGE

Grinding DT99580 v DT42320
Cutting DT99582 v DT42300
Flap Disc DT99584 v DT3266

CONTACT YOUR LOCAL SUPPLIER



DCS397

XR FLEXVOLT ALLIGATOR SAW

- Two durable blades with a thicker sword for reduced deflection and a more accurate cut
- Integrated blade clamp enables the saw to easily pass through materials
- Sturdy aluminium housing and large lock-off button for greater durability and control
- The powerful battery provides approximately 100 cuts per charge (Poroton block) and consistent power delivery



DCS397T2

2 x Batteries

DCS397N

Bare Unit

Blade Length	43cm	43cm
No-Load Stroke Rate	0-2400rpm	0-2400rpm
Stroke Length	40mm	40mm

BRUSHLESS



XR FLEXVOLT ALLIGATOR SAW BLADES

The XR FLEXVOLT Alligator Saw and bespoke blade range allow you to get up to 97 cuts on a fully charged battery.



Cat No.	Product Description
DT99590-QZ	295mm Poroton Blade
DT99591-QZ	430mm Poroton Blade
DT99592-QZ	295mm Wood Blade
DT99593-QZ	430mm Wood Blade

UP TO **97 CUTS** PER CHARGE

CONTACT YOUR LOCAL SUPPLIER



FOR THE LATEST INTERACTIVE NEWS DOWNLOAD THE APP



WWW.DEWALT.co.uk/JAPANMotoGP

UK
210 Bath Road, Slough, Berkshire SL1 3YD
Telephone: 01753 567055
FAX: 01753 572112

WWW.DEWALT.com

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark. DeWALT reserves the right to change any deal at any time without notice. Deals available while stocks last.

Your DeWALT Dealer:

▲ TO SEE THE NOISE AND VIBRATION DATA VISIT WWW.DEWALT.CO.UK/SAFETY

MP97103-GB

Be the first to see product news and special offers from DeWALT.
Register at MYDeWALT to be sent onsite offers by email.
Simply go to www.DeWALT.com/MYDeWALT

My **DEWALT**