

DEWALT®

TOUGH OUTSIDE INTELLIGENT INSIDE



NEW
XR™ LI-ION RANGE
www.DEWALT.co.uk

UK
210 Bath Road, Slough, Berkshire SL1 3YD
Telephone: 01753 567055
Fax: 01753 572112

www.DEWALT.co.uk

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark. DeWALT reserves the right to change any deal at any time without notice. Deals available while stocks last.

Your DeWALT Dealer:

MP16081-UK

DEWALT®

ISSUE 29
AUGUST - DECEMBER 2011

ONSITE OFFERS

INSIDE► NEW 305MM MITRE SAW!

**THERE
IS ONLY
1 CHOICE**



**NEW XR™ LI-ION
SEE THE RANGE**



NEW MULTI-LINE LASER



**NEW DEMOLITION
BREAKER**

► **NEW PRODUCTS** ► **NEWS** ► **TECHNICAL** ► **FREE TO THE TRADE**

NEW

DWS780 305MM MITRE SAW

- ① New increased capacity – to meet all your application requirements
- ② New integrated XPS® work light – shadow cut-line visibility no adjustment required
- ③ 1675W motor – power for all applications
- ④ Tall dual sliding fences for work piece stability and accuracy
- ⑤ Stainless Steel adjustable mitre detents for repeatable cut accuracy
- ⑥ Adjustable precision bearing and slide rail assembly - for long life performance and accuracy

- ⑦ Improved dust extraction
- ⑧ Compact portable design



Power input	1675W
Blade speed	1900-3800 rpm
Blade diameter	305mm
Blade bore	30mm
Mitre capacity	60/50°
Bevel capacity	49/49°
Max depth of cut	170mm
Width x Height x Depth	770 x 396 x 470mm
Weight	25kgs

ALSO AVAILABLE

HEAVY DUTY STAND RANGE AND ACCESSORIES


Extensive range of leg stands fully compatible with all DEWALT mitre saws



Ultra High Quality Blade Range - choose your blade according to material and application for the perfect cut



ACCURACY



Engineered for Accuracy

- Machined fence and base design
- Stainless steel mitre detents
- Fully adjustable, for lifetime accuracy


PRODUCTIVITY




Work longer, work faster

- XPS® worklight system offers:
 - Clear visible cut-line and illuminated work area
 - Fast set-up and repeatable accuracy


CAPACITY




New increased capacity to meet all your application needs



303 x 110mm



44 x 170mm




410 x 33mm

EASE OF USE




Simple and fast adjustments

- Clear, visible scales
- Intuitive bevel lock system
- Bevel stops for fast bevel set-up
- Depth stop facilitates common joinery techniques:



Half lap



Tenon

DURABILITY



Designed for the jobsite

- Long-life performance
- Heavy duty fence and table design

SYSTEM



Class leading material management solutions

- Compatible with all DEWALT leg stands and saw benches
- Full range of machine attachments available

DUST EXTRACTION



Improved dust management

- Efficient "in-line" dust deflector
- Increased dust removal rate

PORTABILITY



Compact and lightweight design

- Compact low-weight design (25KG)
- Two side handle points + top-carry handle

NEW

D25960K 16KG IN-LINE BREAKER

THE MOST PRODUCTIVE BREAKER IN IT'S CLASS

LESS DOWNTIME

50%

longer interval between services than any breaker in it's class

D25960K

Impact Energy	35J (EPTA 05/2009)
BPM	1,450
Length	795mm
Vibration	6.8m/s ²
Weight	18.4Kg
Tool Holder	28mm HEX

MAXIMUM USER COMFORT

Lowest vibration means less user fatigue and extended working time

IMPRESSIVE PERFORMANCE

yet light enough for consistent heavy use

NEW

D25980K
30kg Pavement Breaker with Trolley and Chisel

D25980K

Impact Energy	52J (EPTA 05/2009)
Vibration	4.8m/s ²
BPM	900
Tool Holder	28mm HEX

Kit includes Breaker Trolley and Chisel - 110V only



Suspended handles absorb rebound

New increased impact energy and lower vibration

- Oversize mechanism delivers extreme durability and performance
- 2100 Watt motor provides outstanding power and efficiency
- Active Vibration Control offers safer, more comfortable use and more productivity

D259801
Breaker Trolley

- Maximise portability with purpose built breaker trolley

XLR



COMING SOON

The NEW extended DeWALT XLR® Series...

DeWALT is expanding its high performance XLR® range to include NEW SDS-Plus, SDS-MAX and Hex shank chisels.

- Dual steel design
- Highly durable stay sharp tip
- Shock resistant body



SDS-Plus/SDS-Max/Hex Chisels

DT6888QZ	300mm pointed SDS-Max	DT6958QZ	400 x 25mm flat 19mm Hex
DT6889QZ	400mm pointed SDS-Max	DT6959QZ	600 x 25mm flat 19mm Hex
DT6890QZ	600mm pointed SDS-Max	DT6978QZ	250mm pointed SDS-Plus
DT6811QZ	300 x 25mm flat SDS-Max	DT6979QZ	250 x 20mm flat SDS-Plus
DT6812QZ	400 x 25mm flat SDS-Max	DT6984QZ	200 x 40mm flat SDS-Plus
DT6818QZ	360 x 50mm flat SDS-Max		
DT6953QZ	400mm pointed 19mm Hex		
DT6954QZ	600mm pointed 19mm Hex		

XTRA LIFE & RELIABILITY

NEW

DWP849X PREMIUM 150MM/180MM POLISHER

Solid surface finishing from DeWALT

Light ergonomic design

Rubber over-moulded casing to protect work-piece

Two finger trigger

- Ultimate control
- Superb balance and ergonomics



Supplied with adjustable 'D-handle' and standard side handle for user comfort



Wool ingestion shields to enhance durability



Optimal speed range Easy access speed control

DWP849X

Rated Power Input	1250W
No Load Speed	0-600/3500 RPM
Disc Size	180 & 150 mm
Weight	3.0 Kg

PROTECTED

THE NEW LARGE HAMMER DUST MANAGEMENT RANGE FROM DeWALT

- Extract dust at source
- Safer working environment
- Improve fixing retention and accessory life
- Comply with upcoming legislation
- Reduce jobsite clean-up time

ALSO AVAILABLE CONNECTION SYSTEM

Easy to use – fast 'click' connection
Durable – long-lasting, jobsite tough



Consult your dealer or go online for more info



DWH050K

Drilling and hole cleaning system

- Innovative suction system will fix the unit to any flat surface and extract dust at the same time
- Interchangeable heads, Ø<52mm



DWH051K

Chipping system

- Lightweight and durable
- Multiple nozzles to fit any DeWalt SDS-Max chisel



DWH052K

Demolition system

- Simple, effective design for vertical breaking
- Fits a wide variety of hammers and breakers



D27901

45 Litre dust extractor

- Powerful and efficient - ideal for concrete and hardwood dust
- Auto-filter clean maintains performance level
- * UK product spec may vary

DW089K MULTI-LINE LASER DOES IT ALL!

NEW



DW089K



MULTIPLE APPLICATIONS
90° crosses on floor, ceiling, front wall and side wall



HIGH VISIBILITY
Ultra bright beam, up to 50m range when used with detector



EASY TO USE
Fine adjustment of vertical lines



ROBUST DESIGN
All metal front housing to protect laser mechanism

50m OUTDOOR RANGE WITH DETECTOR

ALSO AVAILABLE

DW088K



- Ultra Bright Cross Line Laser**
- 2 button operation for ease of use
 - Built in magnetic pivot bracket mounts easily on most surfaces
 - Now compatible with laser detector for outdoor usage

DE0882

Floor to Ceiling 1/4" Laser Pole

- 360° horizontal rotation with no height change
- Easy set-up

DE0881

Lightweight 1/4" Mini Tripod



DE0892

Line Laser Detector

- Up to 50m working range
- Magnets allows detector to be mounted on metal tracks



Cat No	DW088	DW089
Accuracy	+/- 0.3mm/m	+/- 0.3mm/m
Number of beams	2	3
Weight	0.46Kg	0.8Kg
Self levelling range	+/- 4°	+/- 4°
Power supply	4.5V - 3 x AA	6.0V - 4 x AA

THE NEW XR™ Li-ION RANGE

XR™ Lithium Ion is the new cordless range from DeWALT offering eXtreme Runtime, increased efficiency and improved performance.

By constantly monitoring tool and battery operation the intelligent electronic module and switch maximize performance and prevent damage caused by overload or temperature build up helping to increase the life of both tool and battery.

This technology combined with a tough outer casing and superb ergonomics means that XR™ Lithium Ion is truly Tough Outside and Intelligent Inside.

For more information and full range please go www.DeWALT.co.uk.

XR LI-ION 1.5AH

XR LI-ION 3.0AH



TOUGH OUTSIDE INTELLIGENT INSIDE



All metal gearbox increases efficiency and durability



Intelligent switch and electronic module - standard throughout XR™ Li-Ion Range

UNIVERSAL CHARGING SYSTEM



A NEW EFFICIENT WAY TO WORK



New 3 year warranty on all DeWALT XR™ Li-Ion machines*



Motor efficiency: up to 15% faster application speed and 30% more run time

Temperature monitoring prevents tool overheating

Ergonomic rubber grip designed for comfort and control

Current and voltage shut off protects battery and increases lifetime

*for full warranty terms and conditions see www.DeWALT.co.uk

THE 18 VOLT XR™ LI-ION RANGE

DCD985L2

18V XRP® XR™ Li-Ion Premium Hammer Drill

- Frameless motor delivers superior efficiency
- 3 speed all metal gearbox offers great durability
- 500 Watts power output



Battery	18V - 3.0Ah
Chuck Capacity	1.5-13mm
Power Output	500Watts
No Load Speed	0-575/0-1350/0-2000 rpm
Beats per Minute	0-9755/0-22950/0-34000 bpm
Max Torque	55 Nm
Length / Height	238 / 250mm

DCF885L2

18V XR™ Li-Ion Compact Impact Driver

- 3 x high intensity LEDs for improved visibility
- 1/4" hex "drop-in" bit holder allows one handed bit changes
- Compact and light weight offers controlled use in tight spaces



Battery	18V - 3.0Ah
Bit Holder	1/4" (6.35mm)
Power Output	250Watts
No Load Speed	2800rpm
Impacts per Minute	3200rpm
Max Torque	155 Nm
Max. Bolt Diameter	M12
Length / Height	141 / 236mm

DCD780L2

18V XR™ Li-Ion Compact Drill Driver

- Compact and light weight offers controlled use in tight spaces
- 350 Watts power output
- 13mm single sleeve chuck with auto spindle lock for fast bit changes



Battery	18V - 3.0Ah
Chuck Capacity	1.5-13mm
Power Output	350Watts
No Load Speed	0-6000/2000rpm
Max Torque	35 Nm
Length / Height	190 / 236mm

DCL040

18V XR™ Li-Ion LED Pivot Light

- LED bulb produces 110 Lumen output with 10,000 hour life
- Two zone lighting pattern for focused and general lighting



Bulb Type	LED
Height	240mm
Length	115mm
Weight (incl. battery)	260g (bare unit)
Battery Type	18V

DCS391L2

18V XR™ Li-Ion Premium Circular Saw

- Up to 3700rpm for fast cutting
- Magnesium shoe offers high durability
- Ultra thin kerf blade for better runtime



Battery	18V - 3.0Ah
Blade diameter	165mm
Power Output	460Watts
No Load Speed	3700rpm
Bevel Capacity	50°
Max. Depth of Cut at 90°	55mm
Max. Depth of Cut at 45°	42.1mm
Length / Height	360 / 240mm

THE XR™ Li-ION RANGE

DCD785L2

18V XR™ Li-Ion Compact Hammer Drill



- Compact and light weight offers controlled use in tight spaces
- 350 Watts of power with up to 34,000bpm
- 13mm single sleeve chuck with auto spindle lock

Battery	18V - 3.0Ah
Chuck Capacity	1.5-13mm
Power Output	350Watts
No Load Speed	0-600/2,000 rpm
Beats per Minute	0-10,200/34,000 bpm
Max Torque	35 Nm
Length / Height	202 / 236mm

DCS380L2

18V XR™ Li-Ion Premium



- Unique 4 position blade clamp for flush cutting and increased versatility
- 28.6mm stroke length at up to 2950 strokes per minute
- Ergonomic rubber grips reduce surface vibration

Battery	18V - 3.0Ah
Power Output	560 Watts
No Load Stroke Rate	0-2950 spm
Stroke Length	28.6mm
Length / Height	425 / 195mm

DCH213L2

18V XR™ Li-Ion 3 mode SDS Hammer



- Best in class – 6.9m/s² hand/arm vibration figure
- Rotation stop for light chiselling applications
- Drills up to 20mm in concrete

Battery	18V - 3.0Ah
Power Output	300Watts
No Load Speed	0-1100rpm
Impact energy (EPTA 05/2009)	2J
Blows per Minute	0-4200bpm
Tool Holder	SDS Plus
Hand/Arm Vibration	6.9m/s ²
Length / Height	303 / 202mm

XR™ ACCESSORIES

DeWALT recommends a range of premium accessories which optimise the performance of the XR™ tool range. Each accessory has been hand picked and tested to provide the highest levels of durability and optimise battery run-time. Look out for the XR™ logo clearly marked on XR™ Accessory set packaging.

DT7926

29 Piece Extreme 2 Metal Drilling Set

- Tough storage case to withstand worksite conditions
- Suitable for drilling sheet steel, plastics or wood



DT7919

Impact Driver Mag Box

- 15 piece set of Extreme Impact bits
- Mag Box with built-in magnets and hooks for flexible and convenient accessory storage



DT7969

32 Piece Screwdriver Bit Set

- Precision engineered screwdriver bits with quick change bit holder
- Rubberised case with belt clip for convenient storage



DEWALT TOUGHSYSTEM™

MAKE IT WORK FOR YOU

ADAPT IT TO TAKE JUST WHAT YOU WANT, WHEN YOU WANT IT



TOUGHSYSTEM™ is a new mobile modular storage system that allows you to quickly and easily change the combination of tools you take to work. You can mix and match the three toolbox sizes to create the ideal combination for your job that day.

- Heavy duty 4mm Structural Foam plastic
- Dust tight & water jet resistant – IP65 rated
- Internal storage for power tools, hand tools, accessories and small parts / fixings

GUARANTEED TOUGH.®



1-70-349



1-70-321



1-70-322



1-70-323



1-70-324



1-70-362

LIMITED EDITION OFFERS ARE WHILE STOCKS LAST

18V XRP 3 SPEED COMBI & DRILL DRIVER TWIN PACK

18 VOLT

XRP

NiMH

DC988N + DW759KB

Includes:

- 2 x DE9503 2.6Ah NiMH Batteries
- 60min charger
- DC759N kit box
- Heavy duty kit bag

■ DC988N 18V 3 speed XRP Combi bare unit

■ DC759 13mm Drill Driver

■ Supplied with FREE MotoGP Kit Bag

18V XRP 3 SPEED COMBI & IMPACT DRIVER TWIN PACK

18 VOLT

XRP

NiMH

DCX420B2

Includes:

- 2 x DE9503 2.6Ah NiMH Batteries
- 60min charger
- Kit box

■ DCD925 18V XRP 3 Speed Combi

■ DC827 18V Compact Impact Driver

■ Supplied with FREE 3rd Battery & MotoGP Kit Bag

FREE

3rd 2.4Ah NiCd BATTERY OFFER! DE9096

18V XRP 3 SPEED COMBI

18 VOLT

XRP

DCD925B2

NiMH

3 Speed XRP 18V Combi Drill

Includes:

- 2 x DE9503 2.6Ah NiMH Batteries
- 60min charger
- Kit box

■ Supplied with FREE 3rd Battery & MotoGP Kit Bag

18V 2 SPEED COMBI

18 VOLT

DC725KB

NiMH

2 Speed 18V Combi Drill

Includes:

- 2 x DE9503 2.6Ah NiMH Batteries
- 60min charger
- Kit box

■ Supplied with FREE 3rd Battery & MotoGP Kit Bag

18V BARE UNITS

18 VOLT

LIMITED EDITION OFFERS ARE WHILE STOCKS LAST

18V IMPACT DRIVER

DC827N

18V Compact Cordless Impact Driver

- Max Torque 150Nm
- 1/4" Bit Holder
- 0-27000 impacts per minute



18V DRILL DRIVER

DC759KN

18V Cordless Drill Driver

- 13mm chuck capacity
- Max torque 44Nm
- Max capacity (wood) 38mm



18V RIGHT ANGLE DRILL

DW960N

18V 10mm Cordless Right Angle Drill

- 10mm chuck capacity
- Max torque 33Nm
- Max capacity (wood) 28mm



18V GRINDER

DC411N

18V 115/125mm Finishing Grinder

- Powerful fan cooled motor
- 6500rpm
- Quick change wheel release



18V CIRCULAR SAW

DC390N

18V Heavy Duty Cordless Circular Saw

- Max depth of cut 55mm
- No load blade speed 3700rpm
- Tool-free depth adjustment



18V JIGSAW

DC330N

18V Heavy Duty Cordless Jigsaw

- Tool-free blade change
- No load stroke rate 3000spm
- 3 position orbital action



18V RECIPROCATING SAW

DC385N

- Tool-free blade change
- No load stroke rate 3000spm
- 4 position blade clamp



18V 6 PIECE COMBO PACK **DC6PAKV1**

NiCd XRP

18V 6 Piece kit with 3 x 2.4Ah NiCd batteries & 60 min charger



- DC727N 13mm 2 Speed Compact Combi
- DC827N 18V Compact Impact Driver
- DC330N 18V Heavy Duty jigsaw
- DC390N Cordless Circular Saw
- DC411N Grinder
- DC515N Wet & Dry Vac
- 3 x 2.4Ah NiCd Batteries
- 60 Min charger
- Includes Heavy Duty Kit Bag
- Supplied with FREE MotoGP Kit Bag



HEAVY DUTY 4 MM PLANER

D26500K

1050W 4mm Planer

- Max depth of cut 4mm
- No-Load speed 13,500 rpm
- Planer width 82mm
- Rebating depth 25mm
- 1050W Motor



PRECISION WOODWORKING

- Includes:
- Parallel fence
 - Rebate depth guide
 - Dual sided chip ejector
 - Impact resistant see-through chip deflector
 - Kit box




PLUNGE SAW WITH ADDITIONAL ACCESSORIES

DWS520KR

165mm Plunge Saw Kit

- Includes joining bar plus additional DWS5022 Rail & Bag



- Max depth of cut (on rail) 55mm
- No load speed 1750-4000 rpm
- Anti kick back system

- Blade diameter 165mm
- Parallel plunge system

2000W 1/2" PLUNGE ROUTER

DW625EK

2000 Watt 1/2" (12mm) variable speed plunge router

- Full wave electronic speed control
- Soft start
- 80mm plunge depth

- Includes:
- Parallel fence
 - 30mm guide bush
 - 1/2" & 1/4" collet
 - Kit box



- Includes Kit Box

250MM PORTABLE TABLE SAW

DW745

- 22KG lightweight design for portability
- Steel role cage
- Rack & pinion fence adjustment
- 410mm rip capacity
- 1700 watt motor



- Includes:
- 24 tooth blade
 - Parallel fence
 - Push stick


Offer available for 240V only

250MM COMPOUND MITRE SAW & STAND

XPS CROSS CUT POSITIONING SYSTEM

DW717XPS

- 1675W motor
- XPS shadow cut line system
- Max cross cut 320mm
- Max cut depth 76mm
- 152mm rear fence vertical cut capacity



- Includes:
- DE7023 Leg stand
 - 60 tooth blade

LIMITED EDITION OFFERS ARE WHILE STOCKS LAST

18V 115/125MM GRINDER

NiCd

DC411KA

18V 125mm Grinder

- Powerful fan cooled motor
- 6500 rpm
- Quick change wheel release
- 2 x 2.4Ah NiCd Batteries
- 60 Min Charger
- Kit box
- Supplied with FREE MotoGP Kit Bag



24V SDS+ 3 MODE HAMMER

AVC
ACTIVE VIBRATION CONTROL

NiCd

DC223KA

24V 3 Mode SDS-Plus Hammer

- Max capacity in concrete 22mm
- Impact energy 2.1J
- Blows per minute 0-4200 bpm
- Rotation stop for chiselling
- Impact stop for rotary drilling
- 2 x 24V 2.0Ah NiCd batteries
- 60 Min Charger
- Kit box



18V CORDLESS NAILER

DC618KB

18V 16GA Cordless Nailer

- Up to 3 nails per second
- No gas required
- 3 x 2.6Ah NiMH Batteries
- 60 Min charger
- Kit box
- Supplied with FREE 3rd Battery & MotoGP Kit Bag



2KG TRADESMAN 3 MODE HAMMER

D25013K

SDS-Plus 3 Mode Hammer

- Max concrete drilling capacity 22mm
- Impact stop for rotary drilling
- Kit box
- Rotation stop for chiselling
- Compact and ergonomic design



1050W RECIPROCATING SAW

DW304PK

For heavy duty cutting and demolition applications

- 4 position blade clamp for flush cutting
- Tool-free blade change
- Kit box



Offer available for 240V only

ROTARY LASER WITH DISTANCE MEASURER

DW075PK + DW040P

Self Levelling Rotary Laser Kit

Includes 40m laser distance measurer

Including:

- Tripod
- Detector
- Grade rod
- Remote control
- Wall bracket

