

DEWALT®

XR
LITHIUM ION
BRUSHLESS

5
AH

RUNTIME
THAT CANNOT BE
BEATEN

ONSITE OFFERS
ISSUE 38 AUGUST 2014

www.**DEWALT**.com

GUARANTEED TOUGH.®

Download on the
App Store

STORE MORE POWER, DELIVER LONGER RUNTIME


BRUSHLESS


5 AH

NEW HIGH CAPACITY PACKS

are designed to store more power – providing XR tools with longer runtime without compromising size or weight

RUNTIME THAT CANNOT BE BEATEN


NEW


WHY 2 SPEEDS?:

Smaller nails require less force to drive them home.

Using a lower speed setting provides:

- More runtime
- Faster application speed
- Longer tool life

New high capacity packs are designed to store more power – providing XR tools with longer runtime without compromising size or weight

DCN692P2*

| | |
|-------------------|-------------------|
| Battery Capacity | 5.0Ah |
| Nail Diameter | 2.8 - 3.3mm |
| Magazine angle | 30 - 34 ° |
| Firing mode | Bump & Sequential |
| Temperature Range | -15 to 50°C |



NO GAS! Completely battery powered operation allows for low maintenance, and more consistent operation especially in low temperatures



5 AH

£599

(£718.80 inc VAT)

5.0AH BATTERIES ARE BACKWARDS COMPATIBLE WITH ALL XR TOOLS OF THE SAME VOLTAGE

NEW**5
AH****18V****LITHIUM ION**

ALSO AVAILABLE IN THE XR BRUSHLESS 5.0 AH RANGE

HEAVY DUTY XRP HAMMERDRILL

Tough, all metal 3 speed transmission provides smooth power transfer & longer tool life. Electronic clutch allows for a more compact machine, and more consistent torque settings. Brushless motor delivers 80Nm Max torque for heavy duty applications.

TSTAK™

Single clutch collar for quicker setting changes

Sealed intelligent switch module to protect battery & prevent dust ingress

Worklight on the foot reduces chuck shadow

**DCD995P2***

| | |
|--------------|--------------------|
| Torque | 42/80 Nm |
| Length | 213mm |
| Weight | 2.13Kg |
| Power Output | 650W |
| BPM | 0-7650/22100/34000 |
| RPM | 0-450/1300/2000 |
| Chuck size | 1.5 – 13mm |

ALSO AVAILABLE AS
DRILL DRIVER
DCD990P2

£379**(£454.80 inc VAT)**

COMPACT DRILLS

All metal chuck for maximum durability and bit grip. Intelligent switch module protects the battery from overload and delivers ultimate speed control. Ultra compact, lightweight design allows for use in confined spaces.

DCD795P2*

| | |
|--------------|---------------|
| Torque | 23/60 Nm |
| Length | 197mm |
| Weight | 1.88kg |
| Power Output | 360W |
| BPM | 0-10200/34000 |
| RPM | 0-600/2000 |
| Chuck size | 1.5 – 13mm |

£339**(£406.80 inc VAT)**

ALSO AVAILABLE
AS DRILL DRIVER
DCD790P2



2 speed all metal transmission

Magnetic bit holder and tough metal belt clip

Worklight on the foot reduces chuck shadow



NEW

XR LI-ION HEATED JACKETS DCJ069



Utilises XR batteries to provide hours of core body warmth and continuous heat

Durable water and wind resistant outer shell

Includes fuel gauge, and 2 USB power ports for charging portable electronic devices in the jacket

DCJ069

| | |
|-------------------|----------------------|
| Battery Chemistry | XR Li-Ion |
| Voltage | 10.8/14.4/18 |
| Size | M-XXL |
| Heat Zones | 3 |
| Heat Settings | High/Medium/Low |
| Shell Material | Soft Shell Polyester |

£139

(£166.80 inc VAT)

DCGG571M1

| | |
|-----------------|-----------|
| Voltage | 18 |
| Output Pressure | 690 bar |
| Feed Rate | 142 g/min |
| Hose Length | 1000mm |
| Weight | 3.6 kg |



£269

(£322.80 inc VAT)

18V XR LI-ION GREASE GUN DCGG571

Lubricates machinery up to 2x faster than a manual grease gun.

690 bar (10,000 PSI) output pressure to clear clogged equipment.

1m hose & LED light to find hard to reach fittings.

NEW 360° LASER DW0811

Site Tough

High visibility beam

Self levelling range of 4°

To view the full laser range – please visit www.DEWALT.com/Lasers





DCV582

Powerful operation using either 14.4V/18V battery packs or mains supply. High efficiency washable HEPA filter traps 99.97% of dust – can vacuum wet or dry without the need to change filter.

DCV582

| | |
|------------------|----------|
| Voltage | 14.4/ 18 |
| Battery Capacity | <5.0Ah |
| Tank volume | 7.5 L |
| Power Source | AC/DC |
| Hose Nozzle | 32mm |
| Blower | Yes |
| Weight | 4.8 kg |

£149

(£178.80 inc VAT)



DCL050

| | |
|--------------|---------------|
| Voltage | 18 |
| Bulb Type | LED |
| Light Output | 250/500 lumen |
| Height | 345mm |
| Length | 95mm |

£49

(£58.80 inc VAT)

18V XR LI-ION LED AREA LIGHT DCL050

Incredibly bright LED unit with 2 brightness settings & up to 12.5hrs runtime
9 position pivoting lamp head with freestanding, hand-held & hanging functionality

DCS551N

| | |
|---------------|------------|
| Voltage | 18V |
| No Load Speed | 26,000 rpm |
| Max Watts Out | 550 W |
| Height | 250 mm |

£119

(£142.80 inc VAT)

18V XR LI-ION DRYWALL CUT-OUT TOOL DCS551N

Ideal for fast and accurate cut outs for sockets & pipe work in light duty materials e.g. Plasterboard. Adjustable depth stop and LED light for improved control when plunge cutting



2

XLR DRILL BITS

SPEED

4 flute spiral enables faster drilling and debris removal

PERFORMANCE

4 cutter geometry helps to drill a more concentric hole for better fixing retention

VERSATILITY

Available in 12mm to 52mm diameters in SDS-Plus and MAX fitments

3

18V HAMMERS

The 18V SDS-Plus Cordless Hammer drills from DeWALT are ideal for the job site. Offering the best performance, runtime and the lowest vibration in its class

DCH253M2^v DCH254M2^v

| Batteries | 2 x 4.0Ah | 2 x 4.0Ah |
|-----------------------------|----------------------|----------------------|
| Power Output | 400W | 400W |
| Blows per minute | 0-4500BPM | 0-4500BPM |
| Drilling Capacity Concrete | 24mm | 24mm |
| Hand/Arm vibration drilling | 6.6 m/s ² | 6.6 m/s ² |
| Drilling Capacity Wood | 26mm | 26mm |
| Drilling Capacity Metal | 13mm | 13mm |
| Impact Energy | 2.1J | 2.1J |
| Quick Change Chuck | No | Yes |

£359

(£430.80 inc VAT)

£399

(£478.80 inc VAT)

COMPLETE APPLICATION SOLUTIONS

1

NEW DeWALT MECHANICAL & ADHESIVE ANCHORS

The new range of DeWALT fasteners are engineered to offer fixing solutions for the most demanding situations and ensuring they are fully compliant with industry specification

Consisting of mechanical and high performance adhesive anchors, the range has been designed for a wide variety of applications



DWH050K **DUST EXTRACTION & HOLE CLEANING SYSTEM**

Removal of excess debris is vital when working to ensure maximum adhesion of anchors and fastenings and reduced inhalation of harmful dust

Dust free drilling up to 52mm in diameter

£119

(£142.80 inc VAT)



TSTAK™

INTERLOCKING **STACKABLE STORAGE** **SYSTEM**

The most versatile DeWALT Storage

Customize and configure your toolbox to suit any situation

PERFORM
PROTECT™

5AH BRUSHLESS DEALS

NEW



18V XR 5.0AH LI-ION XRP 3 SPEED COMBI

DCD995P2

- Latest generation 18V XR Li-Ion Brushless XRP hammer drill driver featuring NEW XR 5.0Ah Li-Ion battery technology
- Tough 3 speed all metal transmission for increased runtime and longer tool life
- Electronic Clutch with 11 position adjustable torque control for optimised precision when screw driving
- Includes a TStak Compatible Kit Box to organise you tools and accessory storage
- 13 mm ratcheting keyless chuck with automatic spindle lock for fast bit changes and efficient intelligent trigger allowing total control over all applications
- 2 x 5.0Ah XR Li-Ion battery packs with state of charge indicator, belt hook, magnetic bit holder, multi position side handle



£379

(£454.80 inc VAT)

TSTAK™



**5
AH**

BRUSHLESS

18V XR 5.0AH LI-ION COMPACT COMBI

DCD795P2

- 18V XR Li-Ion compact drill driver featuring NEW 5.0Ah XR Li-Ion battery technology
- Brushless Motor Technology for excellent efficiency
- Ultra compact, lightweight design allows use in confined spaces
- Two speed all metal transmission for increased runtime and longer tool life
- Drill Driver and Hammer feature for multiple applications
- 15 position adjustable torque control for consistent screw driving into a variety of materials
- 2 x 5.0Ah Li-Ion battery pack with state of charge indicator, multi-voltage XR charger, belt hook, magnetic bit holder, heavy duty Kit Box



£339

(£406.80 inc VAT)



**5
AH**

BRUSHLESS

18V XR 5.0AH LI-ION BATTERY PACK

DCB184

- The new DeWALT 5.0Ah XR Li-Ion battery packs will deliver 66% more runtime than a standard 3.0Ah battery pack
- LED State of Charge Indicator helps manage pack charging
- Lightweight design provides the user with upgraded 5Ah Power without increasing the size or weight over the 18V 3Ah battery pack
- No memory effect and virtually no self-discharge for maximum productivity & less downtime
- Compatible with all DeWALT XR Li-Ion 18V Tools
- Protection against overheat, overload and deep discharge conditions increases battery life



**5
AH**



£105

(£126.00 inc VAT)



5AH BRUSHLESS DEALS

NEW

18V XR 5.0AH LI-ION BRUSHLESS 2 SPEED FRAMING NAILER

DCN692P2 + DT99931RG

- 18V XR Li-Ion Two Speed Framing Nailer featuring Brushless motor technology and XR 5.0Ah battery packs
- Two speeds – or power levels – to optimise the nailer for firing all lengths of nails
- Benefit from longer runtime, quicker readiness to fire, less recoil and more durability when firing short nails
- Brushless motor technology offers the power to fire a 90mm ring shank nail in soft wood and 63mm into hard woods
- High capacity 5.0Ah XR battery packs offer eXtreme Runtime in both speeds and versatility to share power with your other 18V XR power tools
- 2 x 5.0Ah XR Li-Ion battery packs with state of charge indicator, multi-voltage XR charger, reversible belt hook, non-mar tip, Kit Box



18V XR 5.0AH LI-ION BRUSHLESS XRP 3 SPEED TWIN PACK

DCK255P2

Kit contains the following:

- System Kit Box
- DCD995 Brushless XRP Hammer Drill, DCF886 Brushless Impact Driver, 2 x 5.0Ah slide pack batteries, multi-voltage charger, DS150 Tough System Kit Box



18V XR 5.0AH LI-ION BRUSHLESS COMPACT TWIN PACK

DCK250P2

Kit contains the following:

- DCD795 Brushless Compact Hammer Drill, DCF886 Brushless Impact Driver, 2 x 5.0Ah slide pack batteries, multi-voltage charger, DS150 Tough System





BRUSHLESS DEALS

18V XR LI-ION BRUSHLESS IMPACT DRIVER

DCF886D2

- Aluminium front housing provides greater heat dispersion increasing motor life
- 3 LED "Halo" ring provides maximum illumination of work place • Supplied with 2 x 2.0Ah batteries, multi-voltage charger and Kit Box



£199

(£238.80 inc VAT)



BRUSHLESS

18V XR LI-ION BRUSHLESS COMPACT TWIN KIT

DCK250D2

Kit contains the following:

- DCD795 Brushless Compact Combi
- DCF886 Brushless impact Driver
- Supplied with 2 x 2.0Ah batteries, multi-voltage charger & DS 150 Tough System Kit Box



£359

(£430.80 inc VAT)

TOUGHSYSTEM™
BRUSHLESS



18V XR LI-ION BRUSHLESS 6 KIT

DCK694M3

Kit contains the following:

- DCD995 Brushless XRP Combi
- DCF886 Brushless Impact Driver
- DCS391 Circular Saw • DCG412 Grinder
- DCS331 Jigsaw • DCL040 LED Pivot Light
- 3 x 4.0Ah batteries • Multi-voltage charger and 2 x DS300 Tough System™ Kit Boxes



£869

(£1,042.80 inc VAT)



BRUSHLESS
TOUGHSYSTEM™



CORDLESS DEALS

18V XR LI-ION XRP 3 SPEED COMBI

DCD985M2

- 18V XR Li-Ion XRP hammer drill driver featuring XR 4.0Ah Li-Ion battery technology
- Tough 3 speed all metal transmission for increased runtime and longer tool life
- 22 position adjustable torque control for optimised precision when screw driving
- 13mm ratcheting keyless chuck with automatic spindle lock for fast bit changes
- LED with delay feature for improved visibility and flashlight functionality
- Belt hook, Magnetic bit holder, Multi position side handle, Multi-voltage XR charger, 2 x 4.0Ah XR Li-Ion battery packs with state of charge indicator



£315

(£378.00 inc VAT)



18V XR LI-ION COMPACT COMBI

DCD785M1

- Ultra compact, lightweight design allows use in confined spaces
- 2 speed all metal transmission for increased runtime and longer tool life
- Supplied with 1 x 4.0Ah battery, multi-voltage charger and Kit Box

£175

(£210.00 inc VAT)



18V XR LI-ION 3 MODE SDS

DCH253M2 + DT7030 + DT7002

- Best in class vibration, 6.6m/s² reduces user fatigue and maximises operating periods
- Rotation stop mode for light chiselling in plaster, tiles and render and impact stop mode for rotary only drilling in wood and metal
- Includes chuck and adaptor



£359

(£430.80 inc VAT)



+ CHUCK &
ADAPTOR
WORTH £20



18V XR LI-ION TWIN PACK

DCK293M2

- Kit contains the following: DCD985 Premium Hammer Drill Driver • DCG412 Grinder • 2 x 4.0Ah Li-Ion Batteries • multi-voltage charger • DS300 Tough System Kit Box



£389

(£466.80 inc VAT)



TOUGHSYSTEM™

18V XR LI-ION 6 KIT

DCK691M3

- Kit contains the following:
Compact Combi • Drill • Impact Driver
• Circular Saw • Grinder • Jigsaw
• LED Pivot Light • 3 x 4.0Ah Batteries
• 2 x DS300 Tough System™ Kit Boxes



£799

(£958.80 inc VAT)



TOUGHSYSTEM™

FREE

RECEIVE A FREE **DCR019**
COMPACT RADIO WITH ALL
OF THE MACHINES SHOWN*



**WORTH
£105**



**DCS373M2 – 18V METAL
CUTTING CIRCULAR SAW**

£379

(£454.80 inc VAT)



**D21520 – MIXER
DRILL**

£229

(£274.80 inc VAT)



**DW743N – 250mm
FLIP OVER SAW**

£769

(£922.80 inc VAT)



**D25902K – 10kg
LOW VIBRATION
BREAKER**

£639

(£766.80 inc VAT)

*WHILE STOCKS LAST

WOODWORKING DEALS

1/4 SHEET ORBITAL PALM GRIP SANDER

D26441

- 230 Watt motor sands at 14,000 orbits per minute, providing a superior finish
- Hook & loop platen allows faster paper change, better dust extraction and increased sanding efficiency
- Paper clamps provided for conventional abrasives
- Textured anti-slip top and body grip provides ultimate comfort and control during prolonged use
- Dust sealed switch for increased durability
- Sealed 100% ball-bearing construction provides longer life
- Dust bag with built-in extractor connection



£75

(£90.00 inc VAT)

BISCUIT JOINTER INCLUDING 1000 BISCUITS

DW682K

- Rack and pinion control
- Pre-set cutting depths for 0, 10 and 20 biscuit sizes
- Grooving setting with up to 20mm depth of cut
- Includes Kit Box



x 1000

£209

(£250.80 inc VAT)

2000 WATT 1/2" (12MM) VARIABLE SPEED PLUNGE ROUTER

DW625EK

- Electronic speed control providing constant cutter speed to maintain cut quality
- Soft start
- Fine depth setting adjustment
- Supplied with parallel fence
- 30mm guide bush
- 1/2" & 3/4" collets in Kit Box



£259

(£310.80 inc VAT)

250mm HEAVY DUTY LIGHTWEIGHT TABLE SAW

DW745

- 22kg total weight and optimised footprint – the most portable saw in its class
- Steel roll cage protects saw
- Rack and pinion fence system with front and rear fence lock
- Powerful 1700 Watt motor
- Max ripping capacity (right) 410mm

£425

(£510.00 inc VAT)



MACHINERY DEALS

250mm SLIDE MITRE SAW WITH XPS + LEG STAND

DWS778 + DE7023

- Built on classic pull saw design improved and updated for the modern user
- Precision machined base and rail assembly
- XPS shadow cutline system
- Cutting capacity at 90°/90° (W x H) 305mm x 85mm



250mm COMPOUND SLIDE MITRE SAW WITH XPS + LEG STAND

DWS717XPS + DE7023

- Precision machined base and rail assembly
- XPS shadow cutline system
- Fast accurate easy to use bevel and mitre system No.1 for accurate repeatable cuts
- Cutting capacity at 90°/90° (W x H) 302mm x 88mm



305mm COMPOUND SLIDE MITRE SAW WITH XPS + LEG STAND OR COMBI

DWS780 + DE7023 OR DCD785C2

Outstanding cutting performance in both small profiles and large construction timbers up to 303 x 110mm • XPS shadow cutline system • Easy to use mitre and bevel controls making the tool fast and simple to change from one set-up to another • The large dual sliding fence gives maximum support in large material cuts at any angle or combination of angles • Outstanding dust control and deflection away from cutting area • Electronic speed control for adjusting cutting speed when cutting materials other than wood • The innovative grooving stop allows the adjustment of the cutting depth for grooving and rebating applications • Supplied with 60-tooth blade, blade spanner, dust bag and material clamp



OR



FREE

DE7023 OR DCD785C2

£835

(£1,002.00 inc VAT)



| | |
|-------------------------------------|----------------|
| Power Input | 1675 Watts |
| Power Output | 960 Watts |
| Blade Speed | 1900 - 3800rpm |
| Bevel Capacity | 49/49° |
| Mitre Capacity [right/left] | 60/50° |
| Cutting Capacity at 90°/90° (W x H) | 303 x 110mm |

CONSTRUCTION DEALS

22mm SDS-PLUS COMBINATION HAMMER

D25013K

- Suitable for drilling 4-22mm diameter anchor holes into concrete and masonry
- 3-mode drill with hammer action, impact stop for rotary drilling and rotation stop for light chiselling
- Low hand/arm vibration level (11m/s²)



£99

(£118.80 inc VAT)

| | |
|------------------------------|-----------|
| Power Input | 650 Watts |
| Power Output | 300 Watts |
| No Load Speed | 0-1550rpm |
| Blows per Minute | 0-4550bpm |
| Impact energy (EPTA 05/2009) | 1.8J |
| Tool Holder | SDS-Plus |
| Weight | 2.3kg |

32mm SDS-PLUS COMBINATION HAMMER

D25414KT

- Combined with a high power 1000W motor and BPM optimised mechanism the 32mm hammer range has set new standards in the 4kg class

TSTAK™

| | |
|--------------------------------|------------|
| Power Input | 1000 Watts |
| Power Output | 450 Watts |
| No Load Speed | 0-820rpm |
| Blows per Minute | 0-4700bpm |
| Impact energy (EPTA 05/2009) | 4.2J |
| Tool Holder | SDS-Plus |
| Max. Drilling Capacity (Wood) | 32mm |
| Max. Drilling Capacity (Metal) | 13mm |



£419

(£502.80 inc VAT)



48mm SDS-MAX COMBINATION HAMMER

D25721K

- Ideal for drilling anchor fixing and through holes in concrete and masonry from 12 to 48 mm in diameter. Core drilling up to 115 mm
- Active Vibration Control system incorporating a floating handle delivers extremely low vibration
- Ergonomic, compact and slim line design maximises control and offers easy access to confined spaces
- Electronic variable speed and impact energy control
- Lock-on switch for chipping
- Rotation-stop for demolition applications in brick, masonry and light chasing in concrete



£549

(£658.80 inc VAT)



10kg DEMOLITION HAMMER PLUS 5 PIECE CHISEL SET

D25899K

- Powerful and durable 1500 Watt motor delivers outstanding concrete breaking performance
- Ergonomic inline design ensures user comfort during any application



**+ 5 PIECE
CHISEL SET
WORTH £65**

£539

(£646.80 inc VAT)

NEW

LADDERS

The new range of high-performance steps from DeWALT encompass high quality engineering and innovation for the trade professional



WRAP AROUND INTERNAL SPREADERS FOR ADDED STRENGTH AND DURABILITY

CROSS TRACTION TREAD GIVES THE USER BETTER GRIP

| | LADDER HEIGHT | TREAD DEPTH | BOTTOM WIDTH | OPEN SPREAD | WEIGHT |
|-------------|------------------|----------------|-----------------|----------------|--------|
| DXL3410-06E | 1.83m | 7.6 - 8.9cm | 55.7cm | 124.8cm | 11kg |
| DXL3410-08E | 2.44m | 7.6 - 8.9cm | 62.7cm | 160.6cm | 13.5kg |
| DXL3413-05E | 1.17m | 9.5cm | 68.3cm | 140.8cm | 12.5kg |
| DXL3412-04E | 0.94m | 9.5cm | 65cm | 119cm | 10.5kg |
| DXL3412-06E | 1.39m | 9.5cm | 72cm | 158cm | 13.5kg |

UK
210 Bath Road, Slough, Berkshire SL1 3YD
Telephone: 01753 567055
FAX: 01753 572112

www.DEWALT.com

The yellow and black colour scheme is used on DeWALT Power Tools and Accessories as a trademark. DeWALT reserves the right to change any deal at any time without notice. Deals available while stocks last.

Your DeWALT Dealer:

Be the first to see product news and special offers from DeWALT...
Register at MYDeWALT to be sent onsite offers by email.
Simply go to www.DeWALT.com/MYDeWALT

My DEWALT

MP17004-GB